

FIG.1




FIG.2




FIG.3

REGISTRATION MESSAGE

FIELD	LENGTH(bits)
REG_TYPE	4
SLOT_CYCLE_INDEX	3
MOB_P_REV	8
SCM	8
MOB_TEM	1
RETURN_CAUSE	4
...	
UI_ENCRYPT_SUP	0 or 8

FIG.4

STATION CLASS MARK(SCM)

FIELD	BIT(s)	SETTING
EXTENDED SCM INDOCATOR	7	
DUAL MODE(=TTI)	6	CDMA ONLY = 0 DUAL MODE = 1
SLOTTED CLASS	5	
...		
TRANSMISSION	2	
POWER CLASS FOR BAND CLASS 0 ANALOG OPERATION	1-0	

FIG.5

LOCATION UPDATE REQUEST MESSAGE

INFORMATION ELEMENTS	TYPE	
CALL IDENTIFIER	M	
PROTOCOL DISCRIMINATOR	M	
RESERVED-OCTET	M	
MESSAGE TYPE	M	
MOBILE IENTITY (IMSI)	M	
CLASSMARK INFORMATION TYPE2	0	R
REGISTRATION TYPE	0	R
MOBILE IDENTITY (ESN)	0	C
SLOT CYCLE INDEX	0	C
...		

M : MANDATORY
R : REQUIRED
O : OPTIONAL
C : CONDITIONALLY REQUIRED

FIG.6

A14-GENERAL UPDATE MEASSAGE

INFORMATION ELEMENTS	TYPE	
A14 MEASSAGE TYPE	M	
ATI (RATI)	0	R
CORRELATION ID	0	C
SECTOR ID (REGISTERED SECTOR)	0	R
SECURITY LAYER PACKET	0	C
SYSTEM TIME	0	C
ACCESS NETWORK IDENTIFIERS	0	C
SESSION STATE INFORMATION RECORD	0	C
A14 INDICATORS	0	C
CELL IDENTIFIER	0	C
MOBILE IDENTITY (IMSI/ESN)	M	
CLASS MARK INFORMATION TYPE2	0	R
SLOT CYCLE INDEX	0	C
...		

FIG.7




FIG. 8




FIG.9

A14-PAGING REQUEST MESSAGE

INFORMATION ELEMENTS	TYPE	
A14 MESSAGE TYPE	M	
ATI (RATI)	0	R
CORRELATION ID	0	C
SECTOR ID (REGISTERED SECTOR)	0	R
SECTOR ID LIST	0	C
SESSION STATE INFORMATION RECORD	0	R
A14 INDICATORS	0	R
MOBILE IDENTITY (IMSI/ESN)	M	
SERVICE OPTION	0	R
CELL IDENTIFIER LIST	0	C
SLOT CYCLE INDEX	0	C
...		

FIG.10

CROSS PAGE REQUEST

INFORMATION ELEMENTS	TYPE	
MESSAGE TYPE	M	
MOBILE IDENTITY (IMSI/ESN)	M	
CELL IDENTIFIER LIST	0	C
SLOT CYCLE INDEX	0	C
SERVICE OPTION	0	R
...		

FIG.11




FIG.12